



ANALYTICAL & CONSULTING CHEMISTS

# Environmental Chemists, Inc.

6602 Windmill Way, Wilmington, NC 28405 • 910.392.0223 Lab • 910.392.4424 Fax  
710 Bowsertown Road, Manteo, NC 27954 • 252.473.5702 Lab/Fax  
255-A Wilmington Highway, Jacksonville, NC 28540 • 910.347.5843 Lab/Fax

[info@environmentalchemists.com](mailto:info@environmentalchemists.com)

October 27, 2017

Brunswick County Public Utilities  
Post Office Box 249  
Bolivia, NC 28422  
Attn: Glenn Walker

Report #2017-15909

Enclosed please find your analytical report.

Sincerely,

Tammy Duran  
Environmental Chemists, Inc.

Sample:

10246689 17-382431 Collected: 10/12/17 Analyzed: 10/25/17 - Analytes: 13

ANALYTE NAME	RESULT	UNITS WWB	DIL	LOD	LOQ	MCL	Note
perfluorobutanesulfonic acid (PFBS)	[6.86]	ppt	1	5.1	16		J
perfluorohexanoic acid (PFHxA)	41.5	ppt	1	0.81	2.6		BD
perfluoro-2-propoxypropionic acid (GenX)	26.2	ppt	1	0.56	1.8		
perfluorohexanoic acid (PFHpA)	37.4	ppt	1	0.38	1.2		
perfluorohexanesulfonic acid (PFHxS)	7.5	ppt	1	1.1	3.4		
perfluorooctanoic acid (PFOA)	21.8	ppt	1	0.81	2.6		
perfluorononanoic acid (PFNA)	6.18	ppt	1	0.70	2.2		
perfluorooctanesulfonic acid (PFOS)	16	ppt	1	1.9	6.1		
perfluorodecanoic acid (PFDA)	3.63	ppt	1	0.89	2.8		
perfluoroundecanoic acid (PFUnA)	ND	ppt	1	0.89	2.8		
perfluorododecanoic acid (PFDoA)	ND	ppt	1	0.96	3.1		
perfluorotridecanoic acid (PFTriDA)	ND	ppt	1	0.76	2.4		
perfluorotetradecanoic acid (PFTA)	ND	ppt	1	0.81	2.6		S
C13-PFHxA (SURR)	74.593%						S
	81.712%						

**NOTES APPLICABLE TO THIS ANALYSIS:**

J = Result enclosed in brackets is between LOD and LOQ, a region of less certain quantitation.

S = This compound is a surrogate used to evaluate the quality control of a method.

BD = Compound was detected in the laboratory method blank.

perfluorohexanoic acid (PFHxA) detected at .87 ppt.

The PFOA branch isotope peak is included in the PFOA calculation per EPA directive. GenX analysis performed by Modified EPA Method 537.

**ANALYTICAL RESULTS: Perfluorinated Chemicals by EPA 537 Rev 1.1 Safe Drinking Water Analysis**

Customer: Environmental Chemists NLS Project: 289199

Project Description: GenX and Other PFCS

Project Title:

Template: 537PPT2GENX Printed: 10/26/2017 15:33

Sample: 1024690 17-38432 Collected: 10/12/17 Analyzed: 10/25/17 - Analytics: 13

ANALYTE NAME	RESULT	UNITS	WWB	DIL	LOD	LOQ	MCL	Note
perfluorobutanesulfonic acid (PFBS)	ND	ppt	1	5.1	16			
perfluorohexanoic acid (PFHxA)	35.8	ppt	1	0.81	2.6			BD
perfluoro-2-propoxypropanoic acid (GenX)	25.9	ppt	1	0.56	1.8			
perfluorohexanoic acid (PFHpA)	30.2	ppt	1	0.38	1.2			
perfluorohexanesulfonic acid (PFHxS)	5.18	ppt	1	1.1	3.4			
perfluorooctanoic acid (PFOA)	17	ppt	1	0.81	2.6			
perfluorononanoic acid (PFNA)	3.97	ppt	1	0.70	2.2			
perfluorooctanesulfonic acid (PFOS)	9.19	ppt	1	1.9	6.1			
perfluorododecanoic acid (PFDA)	[2.12]	ppt	1	0.89	2.8			J
perfluoroundecanoic acid (PFUnA)	ND	ppt	1	0.89	2.8			
perfluorododecanoic acid (PFDoA)	ND	ppt	1	0.96	3.1			
perfluorotetradecanoic acid (PFTtDA)	ND	ppt	1	0.76	2.4			
perfluorotetradecanoic acid (PFTA)	ND	ppt	1	0.81	2.6			
C13:PFHxA (SURR)	72.8%					S		
C13-PFDA (SURR)	79.738%					S		

**NOTES APPLICABLE TO THIS ANALYSIS:**

J = Result enclosed in brackets is between LOD and LOQ, a region of less certain quantitation.

S = This compound is a surrogate used to evaluate the quality control of a method.

BD = Compound was detected in the laboratory method blank.

perfluorohexanoic acid (PFHxA) detected at .87 ppt.

**COLLECTION AND CHAIN OF CUSTODY**

**CLIENT:** Brunswick County PIED  
**ADDRESS:** PO Box 2497  
 Bolivia, NC 28422

**PROJECT NAME:** Gen X + Compounds  
**CONTACT NAME:** Glenn Walker  
**REPORT TO:** Glenn Walker  
**COPY TO:**

**REPORT NO:** 17-15909  
**PO NO:**  
**PHONE/FAX:** 910-371-3490  
**email:** glenn.walker@brunswickcountync.gov

**Sampled By:** Bryan Burton

**SAMPLE TYPE:** I = Influent, E = Effluent, W = Well, ST = Stream, SO = Soil, SL = Sludge, Other:

**SAMPLE COLLECTION**

Sample Identification	Collection			Sample Type	Composite or Grab	Container (P or G)	Chlorine mg/L	PRESERVATION					ANALYSIS REQUESTED
	Date	Time	Temp					None	HCl	H2SO4	HNO3	NaOH	
101217 - S01	10-12-17	0920	25	RW	C	P	38431						EPA 537 + GenX
101217 - E01	10-12-17	0935		EW	C	P	38432						
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							
					G	G							
					C	P							